

**REDSEVEN**  
AMPLIFICATION

# 2/CENTRO POWER AMPLIFIER



5 - Milky way

model: 2/Centro Power Amp  
User Manual

## INTRODUCTION

The **2/Cento** ("Two Hundred") is a stereo power amplifier designed for electric guitar. This inaugural series consists of just ten unique pieces, limited worldwide. Each piece is distinct from the others, featuring a one-of-a-kind artistic finish crafted by Italian artisans.

## POWER SUPPLY

2/Cento is shipped with hardwired 115V or 230V. Voltage must be choice at order time.

## NOTE: IMPORTANT...NOT TO DO!

- This power amplifier is powered by potentially death voltages. It's very dangerous to power it during any inspections or just to open top case. We highly suggest you to not even plug power cord if you're going to perform a maintenance.
- Keep 2/Cento away from water or any liquid.
- Keep 2/Cento in a controlled temperature and humidity place.
- Keep 2/Cento away from children, animals or people who do not understand the potentiality of wrong usage of this object.

THESE OPERATIONS CAN LEAD TO FINAL BREAK OF THIS AMPLIFIER. IN THESE PARTICULAR CASES REDSEVEN AMPLIFICATION WILL NO BE RESPONSIBLE FOR DAMAGES TO AMPLIFIER ITSELF OR PEOPLE/THINGS/ANIMAL. PLEASE KEEP IN MIND YOU ARE HANDLING A DEVICE WITH POTENTIALLY LETHAL VOLTAGE. PLEASE CAREFULLY READ THIS MANUAL BEFORE TURING ON THE AMPLIFIER. RED SEVEN AMPLIFICATION ARE NOT RESPONSABLE FOR ANY PARTS SUBJECT TO WEAR (LIKE TUBES, POTS, CAPACITORS, ETC).

## WARNING!!

This power amplifier uses potential lethal voltage, it must be inspected only by expert people!

## WARNING!!

Before insert power cord inside 2/Cento, check the voltage plate under IEC socket and be sure to match your country's wall voltage.

## PREMISE

The **2/Cento** is a stereo power amplifier built for electric guitar, with a B+ voltage close to 700VDC, theoretically reaching around 100W per side with two pairs of KT88 tubes. The amplifier's sound is remarkably wide and clean, producing almost no distortion and delivering nearly boundless power.

Pair the 2/Cento with your favorite preamplifier (we highly recommend trying our **D100PRE**) and enjoy exceptional performance. For additional effects, place them between your preamp and your preamp; we also recommend our **Multi Stereo Line Mixer** for this purpose to complete your rig.

This first limited run of the 2/Cento consists of only 10 pieces, each featuring a one-of-a-kind finish exclusive to each unit—a total of ten uniquely crafted pieces. Each finish has been hand-crafted by skilled Italian artisans, drawing on backgrounds in fashion and automotive design.

Our concept behind this power amplifier is to deliver not only the highest quality in its category but also a truly unique aesthetic.

## TUBE CONFIGURATION

- 2x KT88/channel power amp tubes
- 1x 12AX7/channel preamplifier tube (input stage, close to the fan)
- 1x12AT7/channel preamplifier tube (phase inverter, close to output transformer)

## TECHNICAL FEATURES



### Global controls:

- **POWER ON/OFF:** turn main power on/off;
- **STEREO VOLUME:** volume control for both sides simultaneously.
- **LINK ON:** turn the STEREO VOLUME control on. This control defeat channel volume controls and both sides will be controlled by it.

### Left and right channels:

- **VOLUME:** volume control;
- **PAD:** cut the channel volume roughly by 1/10.
- **VOICE:** select two different feedback
- **PRESENCE:** presence control.
- **DEPTH:** depth or low content control.
- **STANDBY:** standby switch on/off

Back panel:

- IEC power connector;
- Left and Right input connectors: by using LEFT side only, signal will also sent to RIGHT channel, so both channels can be used. When RIGHT side is plugged in, 2/Centro will work as a regular stereo PA.
- 4-8-16 ohm output connectors.

## WARRANTY DISCLAIMER

Please, do not try to open this unit in any case. For any problem contact your seller or write to us. This amplifier runs at very high voltage that can lead to death. Any inexpert person should not even think of do anything inside this amplifier. RedSeven Amplification offer a standard two year fully warranty for any component (except to wear subjects).

Revision 1.0  
November 2024